

Litepanels Product Price List

Euro (€)

Effective 1st January, 2012














Table of Contents

<u>Product Series</u>	<u>Pages</u>
1X1	3-5
Hilio	6
LED Fresnel	7-9
MiniPlus	10-12
Micro/Croma	13-16
Ringlite Mini	17
Discontinued Products	18
Notes	19-20

*Please note that price changes and new products are noted in **red***



















1X1 Series

All 1X1 Kits include: 1X1 Fixture, Yoke, AC Power Supply, Euro Power Cord and a Power Supply Mounting Bracket



















Product Part #	Description	EURO	WEIGHT
903-1101	 1X1 MONO Flood Daylight (5600K) Beam spread: 50 degree Dimensions: 18.5" x 5" x 17.5" 470mm x 127mm x 445mm	€ 1,449.00	9 lbs 4 kg
903-1102	 1X1 MONO Spot Daylight (5600K) Beam spread: 30 degree Dimensions: 18.5" x 5" x 17.5" 470mm x 127mm x 445mm	€ 1,449.00	9 lbs 4 kg
903-1103	 1X1 MONO Flood Tungsten (3200K) Beam spread: 50 degree Dimensions: 18.5" x 5" x 17.5" 470mm x 127mm x 445mm	€ 1,449.00	9 lbs 4 kg
903-1104	 1X1 MONO Super-Spot Daylight (5600K) Beam spread: 15 degree Dimensions: 18.5" x 5" x 17.5" 470mm x 127mm x 445mm	€ 1,449.00	9 lbs 4 kg
903-2113	 1X1 Bi-Color Flood (Daylight 5600K to Tungsten 3200K & anywhere in between) Beam spread: 50 degree Dimensions: 18.5" x 5" x 17.5" 470mm x 127mm x 445mm	€ 2,175.00	9 lbs 4 kg
903-2121	 1X1 Bi-Focus - Daylight 5600K Spot (30 degree) and Daylight 5600K Flood (50 degree) Dimensions: 18.5" x 5" x 17.5" 470mm x 127mm x 445mm	€ 2,175.00	9 lbs 4 kg
903-2124	 1X1 Bi-Focus - Daylight 5600K Spot (30 degree) and Daylight 5600K Super-Spot (15 degree) Dimensions: 18.5" x 5" x 17.5" 470mm x 127mm x 445mm	€ 2,175.00	9 lbs 4 kg
903-3101	 1X1 MONO Low-Profile Flood Daylight (5600K) Beam spread: 50 degree Special Order - call for availability Beam of light is set at a 40 degree angle on horizontal plane Dimensions: 18.5" x 5" x 17.5" 470mm x 127mm x 445mm	€ 1,595.00	9 lbs 4 kg
903-3102	 1X1 MONO Low-Profile Spot Daylight (5600K) Beam spread: 30 degree Special Order - call for availability Beam of light is set at a 40 degree angle on horizontal plane Dimensions: 18.5" x 5" x 17.5" 470mm x 127mm x 445mm	€ 1,595.00	9 lbs 4 kg
903-3103	 1X1 MONO Low-Profile Flood Tungsten (3200K) Beam spread: 50 degree Special Order - call for availability Beam of light is set at a 40 degree angle on horizontal plane Dimensions: 18.5" x 5" x 17.5" 470mm x 127mm x 445mm	€ 1,595.00	9 lbs 4 kg
903-3104	 1X1 MONO Low-Profile Super-Spot Daylight (5600K) Beam spread: 15 degree Special Order - call for availability Beam of light is set at a 40 degree angle on horizontal plane Dimensions: 18.5" x 5" x 17.5" 470mm x 127mm x 445mm	€ 1,595.00	9 lbs 4 kg

NOTE: ALL 1X1 Fixtures come with plastic housing and Built-in DMX (referred to as MONO)

1X1 Series Accessories


Product Number	Description	EURO	WEIGHT
900-3000	 1X1 Gel Set (6 Piece) - includes Carrying Bag CTO Gel Set is orange in color (for use with Daylight Fixtures) Dimensions: 12.5" x 12.5" x 1" 318mm x 318mm x 26mm	€145.00	2 lbs 1 kg
900-3001	 1X1 Gel Set (6 Piece) - includes Carrying Bag CTB Gel Set is blue in color (for use with Tungsten Fixtures) Dimensions: 12.5" x 12.5" x 1" 318mm x 318mm x 26mm	€145.00	2 lbs 1 kg
900-3002	 1X1 Gel Set (6 Piece) - includes Carrying Bag Bi-Color Gel Set is a combination of orange and blue gels (for use with the 1X1 Bi-Color Fixture) Dimensions: 12.5" x 12.5" x 1" 318mm x 318mm x 26mm	€145.00	2 lbs 1 kg
900-3201	 1X1 Individual Gel - FULL CTB Dimensions: 12.5" x 12.5" x 1" 318mm x 318mm x 26mm	€25.00	2 lbs 1 kg
900-3202	 1X1 Individual Gel - 1/2 CTB Dimensions: 12.5" x 12.5" x 1" 318mm x 318mm x 26mm	€25.00	2 lbs 1 kg
900-3203	 1X1 Individual Gel - 1/4 CTB Dimensions: 12.5" x 12.5" x 1" 318mm x 318mm x 26mm	€25.00	2 lbs 1 kg
900-3218	 1X1 Individual Gel - 1/8 CTB Dimensions: 12.5" x 12.5" x 1" 318mm x 318mm x 26mm	€25.00	2 lbs 1 kg
900-3204	 1X1 Individual Gel - FULL CTO Dimensions: 12.5" x 12.5" x 1" 318mm x 318mm x 26mm	€25.00	2 lbs 1 kg
900-3205	 1X1 Individual Gel - 1/2 CTO Dimensions: 12.5" x 12.5" x 1" 318mm x 318mm x 26mm	€25.00	2 lbs 1 kg
900-3206	 1X1 Individual Gel - 1/4 CTO Dimensions: 12.5" x 12.5" x 1" 318mm x 318mm x 26mm	€25.00	2 lbs 1 kg
900-3223	 1X1 Individual Gel - 1/8 CTO Dimensions: 12.5" x 12.5" x 1" 318mm x 318mm x 26mm	€25.00	2 lbs 1 kg
900-3250	 1X1 Individual Gel - Half White Diffusion Dimensions: 12.5" x 12.5" x 1" 318mm x 318mm x 26mm	€25.00	2 lbs 1 kg
900-3410	 1X1 Individual Gel - Opal Frost Dimensions: 12.5" x 12.5" x 1" 318mm x 318mm x 26mm	€25.00	2 lbs 1 kg
900-0001	 Gel Carrying Bag for 1X1 Gels and Ringlite Mini Gels Dimensions: 12.5" x .5" x 12.5" 318mm x 318mm x 26mm	€25.00	1 lb 0.5 kg
900-0002	 1X1 and Ringlite Mini AC Adapter Power Supply 24V (100-240V) (Cord not included, sold separately - part 900-0013) Dimensions: 10" x 6" x 4" 254mm x 153mm x 102mm	€69.00	2 lbs 1 kg
900-0013	 6 ft. AC Euro Power Cord for 1X1, Sola ENG and Ringlite Mini Power Supplies Dimensions: 6" x 6" x 2" 153mm x 153mm x 51mm	€10.00	1 lb 0.5 kg
900-3005	 1X1 Power Supply Mounting Bracket Dimension: 12" x 4" x 4" 305mm x 305mm x 102	€52.00	1 lb 0.5 kg
900-3007	 1X1 Base Plate with Deluxe Ball Head Shoe Mount Dimensions: 12.5" x 12.5" x 4" 305mm x 305mm x 102mm	€128.00	2 lbs 1 kg

Prices and specifications are subject to change without notice.
Litepanels does not offer Trade-In or Upgrade Programs
No Drop Shipments - Minimum Order: \$100.00











Product Number	Description	EURO	WEIGHT
900-3008	 1X1 3 Riser Fold-up Stand (2'6" Folded - 9'10" Full Extension) Dimensions: 4" x 4" x 36" 102mm x 102mm x 915mm	€ 128.00	4 lbs 2 kg
900-3010	 2X1 Fixture Assembly Frame for (2) 1X1 Fixtures (use with 1X1 Plastic Housings - aka MONOs) Dimensions: 6" x 6" x 30" 153mm x 153mm x 762mm	€ 135.00	4 lbs 2 kg
900-3029	 1X1 Pole Assisted Yoke <i>Special Order - Call for Availability</i>	€ 335.00	TBA
900-3023	 1X1 TVMP Replacement with T-Handle Dimensions: 6" x 6" x 2" 153mm x 153mm x 51mm	€ 19.00	1 lb .5 kg
900-3016	 1X1 6" 2-Pin D-Tap Cable Assembly for 900-3014 and 900-3015 Dimensions: 6" x 6" x 2" 153mm x 153mm x 51mm	€ 30.00	1 lb 0.5 kg
900-0005	 DMX Kit for Standard 1X1 with Metal Housings, Ringlite Mini and MiniPlus Fixtures Contains 1-DMX Module (DMX) and 1-RJ45 Ethernet Cable to RJ45 (DMXEC) Dimensions: 10" x 6" x 4" 254mm x 153mm x 102mm	€ 205.00	1 lb 0.5 kg
900-0006	 RJ45 to 5-Pin XLR (Male) Conversion Cable. <u>Note:</u> 5-Pin XLR Female versions are <u>not</u> available Dimensions: 6" x 6" x 2" 153mm x 153mm x 51mm	€ 50.00	1 lb 0.5 kg
900-3014	 1X1 V-Mount Battery Adapter Plate (includes (1) 6" 2-Pin D-Tap Power Cable) Dimensions: 12" x 4" x 4" 305mm x 102mm x 102mm	€ 145.00	1 lb 0.5 kg
900-3015	 1X1 AB Gold-Mount Battery Adapter Plate (includes (1) 6" 2-Pin D-Tap Power Cable) Dimensions: 12" x 4" x 4" 305mm x 102mm x 102mm	€ 138.00	1 lb 0.5 kg
900-3017	 1X1 Honeycomb Grid - 30 degree Dimensions: 12.5" x 12.5" x 4" 318mm x 318mm x 102mm	€ 135.00	2 lbs 1 kg
900-3018	 1X1 Honeycomb Grid - 45 degree Dimensions: 12.5" x 12.5" x 4" 318mm x 318mm x 102mm	€ 135.00	2 lbs 1 kg
900-3019	 1X1 Honeycomb Grid - 60 degree Dimensions: 12.5" x 12.5" x 4" 318mm x 318mm x 102mm	€ 135.00	2 lbs 1 kg
900-3020	 1X1 Honeycomb Grid - 90 degree Dimensions: 12.5" x 12.5" x 4" 318mm x 318mm x 102mm	€ 135.00	2 lbs 1 kg
900-3021	 1X1 4-way Barn Doors Dimensions: 12.5" x 12.5" x 4" 318mm x 318mm x 102mm	€ 155.00	3 lbs 1.5 kg
900-3022	 1X1 Cover Dimensions: 12" x 4" x 4" 305mm x 102mm x 102mm	€ 35.00	1 lb 0.5 kg
900-3026	 1X1 Accessory Bag with zipper closure Dimensions: 10" x 6" x 4" 254mm x 153mm x 102mm	€ 24.00	1 lb 0.5 kg
900-3024	 1X1 2-Lite Carrying Case (Includes (1) Accessory Bag) Dimensions: 20" x 20" x 12" 508mm x 508mm x 305mm	€ 130.00	14 lbs 6.5 kg
900-3025	 1X1 4-Lite Carrying Case (Includes (2) Accessory Bags) Dimensions: 34.5" x 20" x 17.5" 877mm x 508mm x 445mm	€ 290.00	26 lbs 12 kg

Prices and specifications are subject to change without notice.
 Litepanels does not offer Trade-In or Upgrade Programs
 No Drop Shipments - Minimum Order: \$100.00

Hilio **NEW!!**


Product Number	Description	EURO	WEIGHT
907-1101	 <p>Hilio High Output Daylight LED Light Kit Kit Includes: (1) Hilio Daylight LED Light Fixture, (1) Yoke and (1) Power Supply Dimensions: 14" x 10" x 4" 356mm x 254mm x 102mm</p>	€2,410.00	13 lbs 6 kg

Hilio Accessories











Product Number	Description	EURO	WEIGHT
900-7000	 <p>Hilio Gel Carrying Bag</p>	€25.00	1 lb 0.5 kg
900-7001	 <p>Hilio 5-Piece Gel Filter Set with Carrying Bag (CTO)</p>	€130.00	2 lbs 1 kg
900-7204	 <p>Hilio Individual Gel - Full CTO</p>	€25.00	1 lb 0.5 kg
900-7205	 <p>Hilio Individual Gel - 1/2 CTO</p>	€25.00	1 lb 0.5 kg
900-7206	 <p>Hilio Individual Gel - 1/4 CTO</p>	€25.00	1 lb 0.5 kg
900-7223	 <p>Hilio Individual Gel - 1/8 CTO</p>	€25.00	1 lb 0.5 kg
900-7250	 <p>Hilio Individual Gel - Half White Diffusion</p>	€25.00	1 lb 0.5 kg
900-7011	 <p>Hilio AC/DC Power Supply (100-240V) (cord not included)</p>	€85.00	2 lbs 1 kg
900-7033	 <p>Hilio Power Supply Mounting Bracket</p>	€65.00	2 lbs 1 kg
900-0013	 <p>Euro Power Supply Cord</p>	€10.00	1 lb 0.5 kg

LED Fresnel Series

Sola ENG













Product Number	Description	EURO	WEIGHT
906-1102	 <p>Sola ENG 3' Fresnel Daylight LED on camera Light with standard "hot-shoe" mount. Includes: 2-Pin D-Tap Power Cable, 2-way Barn Door/Gel Frame Assembly, Deluxe Ball Head Shoe Mount, Conversion Kit, 3 Piece Gel Filter Set (1/4 CTO, Full CTO and Diffusion), AC/DC Power Supply, Power Supply Cord and Carrying Case Dimensions: 9" x 6" x 7" 229mm x 153mm x 178mm</p>	€550.00	3 lbs 1.5 kg

Sola ENG Series Accessories

Product Number	Description	EURO	WEIGHT
900-6100	 <p>Sola ENG Barn Door/Gel Frame Assembly Dimensions: 6" x 6" x 6" 153mm x 153mm x 153mm</p>	€27.00	1 lb 0.5 kg
900-6101	 <p>Sola ENG 3 Piece Gel Set (1/4 Correction, Full Correction & Diffusion)</p>	€30.00	1 lb 0.5 kg
900-0015	 <p>Carrying Case for Sola ENG, MicroPro and Croma</p>	€28.00	1 lb 0.5 kg
900-6103	 <p>Sola ENG AC/DC Power Supply 18VDC (does not include power cord, sold separately 900-0013) Dimensions: 6" x 6" x 2" 153mm x 153mm x 51mm</p>	€55.00	1 lb 0.5 kg
900-0013	 <p>6 ft. AC Euro Power Cord for 1X1, Sola ENG and Ringlite Mini Power Supplies Dimensions: 6" x 6" x 2" 153mm x 153mm x 51mm</p>	€10.00	1 lb 0.5 kg
900-6104	 <p>Sola ENG and Croma 2-Pin D-Tap Power Cable (coiled) Dimensions: 6" x 6" x 2" 153mm x 153mm x 51mm</p>	€45.00	1 lb 0.5 kg
900-6105	 <p>Sola ENG Stand Adapter (TVMP) Includes T-Handle Dimensions: 6" x 6" x 2" 153mm x 153mm x 51mm</p>	€19.00	1 lb 0.5 kg
900-0004	 <p>Base Plate with Deluxe Ball Head Shoe Mount for Off Camera Use Use with: MiniPlus, Micro, MicroPro, MicroPro Hybrid and Sola ENG Dimensions: 10" x 6" x 4" 254mm x 153mm x 102mm</p>	€110.00	2 lbs 1 kg
900-0007	 <p>Deluxe Ball Head Shoe Mount for Micro, MicroPro, Croma, MiniPlus and SolaENG Dimensions: 6" x 6" x 2" 153mm x 153mm x 51mm</p>	€58.00	1 lb 0.5 kg
900-0008	 <p>Deluxe Ball Head Shoe Mount Conversion Kit for MiniPlus, Micro, MicroPro, Croma and SolaENG Dimensions: 6" x 6" x 2" 153mm x 153mm x 51mm</p>	€15.00	1 lb 0.5 kg

LED Fresnel Series

Sola 4 **NEW!!**












Part Number	Description	EURO	WEIGHT
906-4101	 <p>Sola 4 4" Fresnel Daylight LED Light Kit Power Consumption: 30W Power Requirements: 10-20VDC DC Power via 4-Pin XLR Kit Includes: (1) Sola 4 Fresnel DaylightLED Light Fixture, (1) Yoke, (1) Power Supply, (1) Euro Power Cord and (1) Barn Door</p>	€ 1,035.00	15 lbs 7 kg
Sola 4 Series Accessories			
Product Number	Description	EURO	WEIGHT
900-6225	 <p>Sola 4 Gel Filter Set (5 piece) with Carrying Bag (Full CTO, 1/2 CTO, 1/4 CTO, 1/8 CTO, Opal Frost Diffusion Dimensions: 12" x 10" x 4" 305mm x 254mm x 102mm</p>	€ 110.00	2 lbs 1 kg
900-0204	 <p>Sola 4 Individual Gel - Full CTO Dimensions: 12" x 10" x 4" 305mm x 254mm x 102mm</p>	€ 22.00	1 lb 0.5 kg
900-0205	 <p>Sola 4 Individual Gel - 1/2 CTO Dimensions: 12" x 10" x 4" 305mm x 254mm x 102mm</p>	€ 22.00	1 lb 0.5 kg
900-0206	 <p>Sola 4 Individual Gel - 1/4 CTO Dimensions: 12" x 10" x 4" 305mm x 254mm x 102mm</p>	€ 22.00	1 lb 0.5 kg
900-0223	 <p>Sola 4 Individual Gel - 1/8 CTO Dimensions: 12" x 10" x 4" 305mm x 254mm x 102mm</p>	€ 22.00	1 lb 0.5 kg
900-0410	 <p>Sola 4 Individual Gel - Opal Frost Diffusion Dimensions: 12" x 10" x 4" 305mm x 254mm x 102mm</p>	€ 22.00	1 lb 0.5 kg
900-6207	 <p>Sola 4/Sola 6 Gel Carrying Bag Dimensions: 12" x 10" x 4" 305mm x 254mm x 102mm</p>	€ 22.00	1 lb 0.5 kg
900-6212	 <p>Sola 4 AC/DC Power Supply (100-240V) (cord not included) Dimensions: 10" x 6" x 4" 254mm x 153mm x 102mm</p>	€ 70.00	2 lbs 1 kg
900-0013	 <p>Euro Power Cord Dimensions: 6" x 6" x 2" 153mm x 153mm x 51mm</p>	€ 10.00	1 lb 0.5 kg
900-0006	 <p>RJ45 to 5-Pin XLR (Male) Conversion Cable. <u>Note:</u> 5-Pin XLR Female versions are not available Dimensions: 6" x 6" x 2" 153mm x 153mm x 51mm</p>	€ 50.00	1 lb 0.5 kg
900-6224	 <p>Sola 4 Barn Door Dimensions: 12" x 10" x 4" 305mm x 254mm x 102mm</p>	€ 105.00	3 lbs 1.5 kg

Prices and specifications are subject to change without notice.
 Litepanels does not offer Trade-In or Upgrade Programs
 No Drop Shipments - Minimum Order: \$100.00

LED Fresnel Series

Sola 6				
Part Number		Description	EURO	WEIGHT
906-2101		Sola 6 6" Fresnel Daylight LED Light Fixture with Mounting Yoke and Power Cable Power Supply: Internal Universal PFC 85-245VAC Dimensions: 24" x 13.5" x 14" 610mm x 343mm x 356mm	€2,170.00	15 lbs 7 kg







Sola 6 Series Accessories

Product Number		Description	EURO	WEIGHT
900-6200		Sola 6 8-Leaf Barn Door Dimensions: 12" x 10" x 4" 305mm x 254mm x 102mm	€169.00	3 lbs 1.5 kg
900-6619		Sola 6 Euro Power Supply Cord Dimensions: 6" x 6" x 2" 153mm x 153mm x 51mm	€22.00	1 lb 0.5 kg
900-0006		RJ45 to 5-Pin XLR (Male) Conversion Cable. Note: 5-Pin XLR Female versions are not available Dimensions: 6" x 6" x 2" 153mm x 153mm x 51mm	€50.00	1 lb 0.5 kg
900-6203		Sola 6 Pole Assisted Yoke Special Order - Call for Availability	€335.00	TBA
900-6201		Sola 6 Gel Filter Set (5 piece) with Carrying Bag (Full CTO, 1/2 CTO, 1/4 CTO, 1/8 CTO, Opal Frost Diffusion) Dimensions: 12" x 10" x 4" 305mm x 254mm x 102mm	€140.00	2 lbs 1 kg
900-6204		Sola 6 Individual Gel - FULL CTO Dimensions: 12" x 10" x 4" 305mm x 254mm x 102mm	€25.00	1 lb 0.5 kg
900-6205		Sola 6 Individual Gel - 1/2 CTO Dimensions: 12" x 10" x 4" 305mm x 254mm x 102mm	€25.00	1 lb 0.5 kg
900-6206		Sola 6 Individual Gel - 1/4 CTO Dimensions: 12" x 10" x 4" 305mm x 254mm x 102mm	€25.00	1 lb 0.5 kg
900-6223		Sola 6 Individual Gel - 1/8 CTO Dimensions: 12" x 10" x 4" 305mm x 254mm x 102mm	€25.00	1 lb 0.5 kg
900-6410		Sola 6 Individual Gel - Opal Frost Diffusion Dimensions: 12"x10"x4" 305mm x 254mm x 102mm	€25.00	1 lb 0.5 kg
900-6207		Sola 4/Sola 6 Gel Carrying Bag Dimensions: 12" x 10" x 4" 305mm x 254mm x 102mm	€22.00	1 lb 0.5 kg

Prices and specifications are subject to change without notice.
Litepanels does not offer Trade-In or Upgrade Programs
No Drop Shipments - Minimum Order: \$100.00

MiniPlus Series

--- No substitutions on MiniPlus Kits ---
MiniPlus DV Adapter Plates sold separately (under MiniPlus Accessories)














Product Number	Description	EURO	WEIGHT
901-1002	 <p>MiniPlus Camera Lite Kit (Daylight 5600K Spot) Kit Includes: - MiniPlus Daylight 5600K Spot Fixture - 6 Piece Gel Set (CTO) - Deluxe Ball Head Shoe Mount - 2-Pin D-Tap Power Cable Dimensions: 10" x 6" x 4" 254mm x 153mm x 102mm</p>	€525.00	2 lbs 1 kg
901-1001	 <p>MiniPlus Camera Lite Kit (Daylight 5600K Flood) Kit Includes: - MiniPlus Daylight 5600K Flood Fixture - 6 Piece Gel Set (CTO) - Deluxe Ball Head Shoe Mount - 2-Pin D-Tap Power Cable Dimensions: 10" x 6" x 4" 254mm x 153mm x 102mm</p>	€525.00	2 lbs 1 kg
901-2002	 <p>MiniPlus-One Lite Package (Daylight 5600K Spot) Kit Includes: - MiniPlus Daylight 5600K Spot Fixture - 12V DC Rechargeable Battery - 100-240V AC/DC Power Supply Adapter with International Plug Set - 6 Piece Gel Set (CTO) - Deluxe Ball Head Shoe Mount - Deluxe Ball Head Shoe Mount Conversion Kit - 12V DC 2" Jumper Cable - 2-Pin D-Tap Power Cable - Carrying Case Dimensions: 10.5" x 3.5" x 16.5" 267mm x 89mm x 419mm</p>	€750.00	6 lbs 3 kg
901-2001	 <p>MiniPlus-One Lite Package (Daylight 5600K Flood) Kit Includes: - MiniPlus Daylight 5600K Flood Fixture - 12V DC Rechargeable Battery - 100-240V AC/DC Power Supply Adapter with International Plug Set - 6 Piece Gel Set (CTO) - Deluxe Ball Head Shoe Mount - Deluxe Ball Head Shoe Mount Conversion Kit - 12V DC 2" Jumper Cable - 2-Pin D-Tap Power Cable - Carrying Case Dimensions: 10.5" x 3.5" x 16.5" 267mm x 89mm x 419mm</p>	€750.00	6 lbs 3 kg
901-2003	 <p>MiniPlus-One Lite Package (Tungsten 3200K Flood) Kit Includes: - MiniPlus Tungsten 3200K Flood Fixture - 12V DC Rechargeable Battery - 100-240V AC/DC Power Supply Adapter with International Plug Set - 6 Piece Gel Set (CTB) - Deluxe Ball Head Shoe Mount - Deluxe Ball Head Shoe Mount Conversion Kit - 12V DC 2" Jumper Cable - 2-Pin D-Tap Power Cable - Carrying Case Dimensions: 10.5" x 3.5" x 16.5" 267mm x 89mm x 419mm</p>	€750.00	6 lbs 3 kg
901-2005	 <p>MiniPlus-One Lite Package (Infrared) Kit Includes: - MiniPlus Infrared Fixture - 12V DC Rechargeable Battery - 100-240V AC/DC Power Supply Adapter with International Plug Set - IR Filter - Deluxe Ball Head Shoe Mount - Deluxe Ball Head Shoe Mount Conversion Kit - 12V DC 2" Jumper Cable - 2-Pin D-Tap Power Cable - Carrying Case Dimensions: 10.5" x 3.5" x 16.5" 267mm x 89mm x 419mm</p>	€755.00	6 lbs 3 kg

Prices and specifications are subject to change without notice.
 Litepanels does not offer Trade-In or Upgrade Programs
 No Drop Shipments - Minimum Order: \$100.00

MiniPlus Series Accessories and Parts




Product Number	Description	EURO	WEIGHT
900-1001	MiniPlus Litepanel Fixture (Flood Daylight 5600K) Fixture only Dimensions: 10" x 6" x 4" 254mm x 153mm x 102mm	€ 460.00	2 lbs 1 kg
900-1002	MiniPlus Litepanel Fixture (Spot Daylight 5600K) Fixture only Dimensions: 10" x 6" x 4" 254mm x 153mm x 102mm	€ 460.00	2 lbs 1 kg
900-1003	MiniPlus Litepanel Fixture (Flood Tungsten 3200K) Fixture only Dimensions: 10" x 6" x 4" 254mm x 153mm x 102mm	€ 460.00	2 lbs 1 kg
900-1005	MiniPlus Litepanel Fixture - Infrared Fixture only Dimensions: 10" x 6" x 4" 254mm x 153mm x 102mm	€ 480.00	2 lbs 1 kg
900-1007	MiniPlus 12V Rechargeable NiMH Battery NOTE: Charger and 2" Jumper Cable not included. These must be ordered separately. Dimensions: 10" x 6" x 4" 254mm x 153mm x 102mm	€ 138.00	2 lbs 1 kg
900-1008	MiniPlus 100-240V AC Adapter Power Supply/Charger w/ International Plug Set Dimensions: 6" x 6" x 2" 153mm x 153mm x 51mm	€ 48.00	1 lb 0.5 kg
900-1009	MiniPlus 2-Pin D-Tap Power Cable Dimensions: 6" x 6" x 2" 153mm x 153mm x 51mm	€ 47.00	1 lb 0.5 kg
900-1010	MiniPlus 4-Pin XLR Power Cable Dimensions: 6" x 6" x 2" 153mm x 153mm x 51mm	€ 47.00	1 lb 0.5 kg
900-1011	MiniPlus DV Battery Adapter Plate - Sony Accepts: "L" and "M" series batteries as well as Panasonic VW-VBD1 and Hitachi VMBP13A Dimensions: 10" x 6" x 4" 254mm x 153mm x 102mm	€ 73.00	1 lb 0.5 kg
900-1012	MiniPlus DV Battery Adapter Plate - Panasonic Accepts: CGR-D120, CGR-D220, CGR-D08A, CGR-D16A Dimensions: 10" x 6" x 4" 254mm x 153mm x 102mm	€ 73.00	1 lb 0.5 kg
900-1013	MiniPlus DV Battery Adapter Plate - Canon Accepts: BP-911/914/924 as well as Samsung SB-L110, SB-L220, SB-L160, SB-L320 and SB-L480 Dimensions: 10" x 6" x 4" 254mm x 153mm x 102mm	€ 73.00	1 lb 0.5 kg
900-1020	MiniPlus 6 Piece Gel Set. Set includes: Full CTO, 1/2 CTO, 1/4 CTO, 1/8 CTO, Opal Frost and Half White Diffusion Dimensions: 6" x 6" x 2" 153mm x 153mm x 51mm	€ 30.00	1 lb 0.5 kg
900-1021	MiniPlus 6 Piece Gel Set. Set includes: Full CTB, 1/2 CTB, 1/4 CTB, 1/8 CTB, Opal Frost and Half White Diffusion Dimensions: 6" x 6" x 2" 153mm x 153mm x 51mm	€ 30.00	1 lb 0.5 kg
900-1204	MiniPlus Individual Gel - FULL CTO Dimensions: 6" x 6" x 2" 153mm x 153mm x 51mm	€ 9.00	1 lb 0.5 kg
900-1205	MiniPlus Individual Gel - 1/2 CTO Dimensions: 6" x 6" x 2" 153mm x 153mm x 51mm	€ 9.00	1 lb 0.5 kg
900-1206	MiniPlus Individual Gel - 1/4 CTO Dimensions: 6" x 6" x 2" 153mm x 153mm x 51mm	€ 9.00	1 lb 0.5 kg
900-1223	MiniPlus Individual Gel - 1/8 CTO Dimensions: 6" x 6" x 2" 153mm x 153mm x 51mm	€ 9.00	1 lb 0.5 kg
900-1201	MiniPlus Individual Gel - FULL CTB Dimensions: 6" x 6" x 2" 153mm x 153mm x 51mm	€ 9.00	1 lb 0.5 kg
900-1202	MiniPlus Individual Gel - 1/2 CTB Dimensions: 6" x 6" x 2" 153mm x 153mm x 51mm	€ 9.00	1 lb 0.5 kg
900-1203	MiniPlus Individual Gel - 1/4 CTB Dimensions: 6" x 6" x 2" 153mm x 153mm x 51mm	€ 9.00	1 lb 0.5 kg
900-1218	MiniPlus Individual Gel - 1/8 CTB Dimensions: 6" x 6" x 2" 153mm x 153mm x 51mm	€ 9.00	1 lb 0.5 kg
900-1250	MiniPlus Individual Gel - Half White Diffusion Dimensions: 6" x 6" x 2" 153mm x 153mm x 51mm	€ 9.00	1 lb 0.5 kg
900-1410	MiniPlus Individual Gel - Opal Frost Dimensions: 6" x 6" x 2" 153mm x 153mm x 51mm	€ 9.00	1 lb 0.5 kg
900-1022	MiniPlus Infrared Gel (for MiniPlus Infrared fixture only) Dimensions: 6" x 6" x 2" 153mm x 153mm x 51mm	€ 14.00	1 lb 0.5 kg

Prices and specifications are subject to change without notice.
Litepanels does not offer Trade-In or Upgrade Programs
No Drop Shipments - Minimum Order: \$100.00

Product Number	Description	EURO	WEIGHT
900-0004	 Base Plate with Deluxe Ball Head Shoe Mount for Off Camera Use Use with: MiniPlus, Micro, MicroPro, Croma and Sola ENG Dimensions: 10" x 6" x 4" 254mm x 153mm x 102mm	€ 110.00	2 lbs 1 kg
900-0007	 Deluxe Ball Head Shoe Mount for Micro, MicroPro, Croma, MiniPlus and SolaENG Dimensions: 6" x 6" x 2" 153mm x 153mm x 51mm	€58.00	1 lb 0.5 kg
900-0008	 Deluxe Ball Head Shoe Mount Conversion Kit for MiniPlus, Micro, MicroPro, Croma and SolaENG Dimensions: 6" x 6" x 2" 153mm x 153mm x 51mm	€14.00	1 lb 0.5 kg
900-0009	 Base Plate Only with Screw Dimensions: 6" x 6" x 2" 153mm x 153mm x 51mm	€71.00	1 lb 0.5 kg
900-1014	 MiniPlus 12V 10 Ft. Cigarette Adapter Dimensions: 6" x 6" x 2" 153mm x 153mm x 51mm	€ 9.00	1 lb 0.5 kg
900-1015	 MiniPlus 12V DC 10 Ft. Jumper Cable Dimensions: 6" x 6" x 2" 153mm x 153mm x 51mm	€9.00	1 lb 0.5 kg
900-1016	 MiniPlus 12V DC 10 Ft. Extension Cable Dimensions: 6" x 6" x 2" 153mm x 153mm x 51mm	€ 9.00	1 lb 0.5 kg
900-1017	 MiniPlus 12V DC 3 Ft. Jumper Cable Dimensions: 6" x 6" x 2" 153mm x 153mm x 51mm	€ 9.00	1 lb 0.5 kg
900-1018	 MiniPlus 12V DC 2" (inch) Jumper Cable. (connects MiniPlus fixture to MiniPlus battery, providing power) <i>This item must be purchased if ordering the MiniPlus 12V Rechargeable NiMH Battery</i> Dimensions: 6" x 6" x 2" 153mm x 153mm x 51mm	€ 9.00	1 lb 0.5 kg
900-1019	 MiniPlus 12V Twin Socket Dimensions: 6" x 6" x 2" 153mm x 153mm x 51mm	€14.00	1 lb 0.5 kg
900-1023	 MiniPlus Gel Retainer Kit Dimensions: 6" x 6" x 2" 153mm x 153mm x 51mm	€27.00	1 lb 0.5 kg
900-1024	 1/4-20 Pin Adapter Dimensions: 6" x 6" x 2" 153mm x 153mm x 51mm	€ 12.00	1 lb 0.5 kg
900-0005	 DMX Kit for Standard 1X1 with Metal Housings, RingLite Mini and MiniPlus Fixtures Contains 1-DMX Module (DMX) and 1-RJ45 Ethernet Cable to RJ45 (DMXEC) Dimensions: 10" x 6" x 4" 254mm x 153mm x 102mm	€ 205.00	1 lb 0.5 kg
900-1026	 MiniPlus One-Lite Kit Case Dimensions: 10.5" x 3.5" x 16.5" 267mm x 89mm x 419mm	€55.00	3 lb 1.5 kg
900-1027	 MiniPlus Two-Lite Kit Case Dimensions: 19" x 6" x 20" 483mm x 153mm x 508mm	€80.00	7 lb 3.5 kg










Prices and specifications are subject to change without notice.
 Litepanels does not offer Trade-In or Upgrade Programs
 No Drop Shipments - Minimum Order: \$100.00

Micro and Croma Series

Product Number	Description	EURO	WEIGHT
905-1002 	Litepanels Micro Kit Kit includes: (1) Micro Fixture (1) 3 Piece Gel Set (1/4 Correction, Full Correction & Diffusion) (1) Deluxe Ball Head Shoe Mount <i>Average Run-Time with "Heavy Duty" Alkaline or Re-Chargeable AA = 2 Hours (at highest output)</i> <i>Average Run-Time with Energizer e2 Lithium Ion AA = 8 Hours</i> Individual Kit Dimensions: Case of 10 Dimensions: 9" x 9" x 11" 229mm x 229mm x 279 13" x 13" x 9.5" 330mm x 330mm x 241mm	€ 199.00	Per Kit: 2 lbs 1 kg
905-2002 	Litepanels MicroPro Kit Kit includes: (1) MicroPro Fixture (1) 3 Piece Gel Set (1/4 Correction, Full Correction & Diffusion) (1) Deluxe Ball Head Shoe Mount (1) MicroPro Carrying Bag <i>Average Run-Time with "Heavy Duty" Alkaline or Re-Chargeable AA = 1.5 hours (at highest output)</i> <i>Average Run-Time with Energizer e2 Lithium Ion AA = 6 hours</i> Individual Kit Dimensions: Case of 10 Dimensions: 9" x 9" x 11" 229mm x 229mm x 279 13" x 13" x 9.5" 330mm x 330mm x 241mm	€ 299.00	Per Kit: 3 lbs 1.5 kg
905-4023 	Litepanels Croma Kit NEW!!! Kit includes: (1) Croma Fixture (1) Gel Diffusion (1) Deluxe Ball Head Shoe Mount (1) AC Power Supply (1) Croma Carrying Bag Individual Kit Dimensions: 9" x 6" x 17"	€ 450.00	Per Kit: 3 lbs 1.5 kg












Prices and specifications are subject to change without notice.
 Litepanels does not offer Trade-In or Upgrade Programs
 No Drop Shipments - Minimum Order: \$100.00

Micro Series Accessories

Product Number	Description	EURO	WEIGHT
900-5100	 Micro 3 Piece Gel Set (1/4 Correction, Full Correction & Diffusion) Dimensions: 6" x 6" x 2" 153mm x 153mm x 51mm	€19.00	1 lb 0.5 kg
900-0008	 Deluxe Ball Head Shoe Mount Conversion Kit for MiniPlus, Micro, MicroPro, Croma and SolaENG Dimensions: 6" x 6" x 2" 153mm x 153mm x 51mm	€14.00	1 lb 0.5 kg
900-5000	 AC Power Supply for Micro and MicroPro (includes International Plug Set) Dimensions: 6" x 6" x 2" 153mm x 153mm x 51mm	€33.00	1 lb 0.5 kg
900-5102	 Micro Back Door Replacement Dimensions: 6" x 6" x 2" 153mm x 153mm x 51mm	€19.00	1 lb 0.5 kg
900-5103	 Micro Dimmer Knob Replacement Dimensions: 6" x 6" x 2" 153mm x 153mm x 51mm	€2.00	1 lb 0.5 kg
900-0004	 Base Plate with Deluxe Ball Head Shoe Mount for Off Camera Use Use with: MiniPlus, Micro, MicroPro, Croma and Sola ENG Dimensions: 10" x 6" x 4" 254mm x 153mm x 102mm	€110.00	2 lb 1 kg
900-5104	 Micro DV Battery Adapter Plate for Sony <i>Accepts: "L" and "M" series batteries as well as Panasonic VW-VBD1 and Hitachi VMBP13A</i> Dimensions: 6" x 6" x 2" 153mm x 153mm x 51mm	€25.00	1 lb 0.5 kg
900-5105	 Micro DV Battery Adapter Plate for Panasonic <i>Accepts: CGR-D120, CGR-D220, CGR-D08A, CGR-D16A</i> Dimensions: 6" x 6" x 2" 153mm x 153mm x 51mm	€25.00	1 lb 0.5 kg
900-5106	 Micro DV Battery Adapter Plate for Canon <i>Accepts: BP-911/914/924 as well as Samsung SB-L110, SB-L220, SB-L160, SB-L320 and SB-L480</i> Dimensions: 6" x 6" x 2" 153mm x 153mm x 51mm	€25.00	1 lb 0.5 kg








Prices and specifications are subject to change without notice.
Litespanels does not offer Trade-In or Upgrade Programs
No Drop Shipments - Minimum Order: \$100.00

MicroPro Series Accessories

Product Number	Description	EURO	WEIGHT
900-0007	 Deluxe Ball Head Shoe Mount for Micro, MicroPro, Cromas, MiniPlus and SolaENG Dimensions: 6" x 6" x 2" 153mm x 153mm x 51mm	€58.00	1 lb 0.5 kg
900-0008	 Deluxe Ball Head Shoe Mount Conversion Kit for MiniPlus, Micro, MicroPro, Cromas and SolaENG Dimensions: 6" x 6" x 2" 153mm x 153mm x 51mm	€14.00	1 lb 0.5 kg
900-0004	 Base Plate with Deluxe Ball Head Shoe Mount for Off Camera Use Use with: MiniPlus, Micro, MicroPro, Cromas and Sola ENG Dimensions: 10" x 6" x 4" 254mm x 153mm x 102mm	€110.00	2 lb 1 kg
900-0015	 Carrying Case for MicroPro and Cromas Dimensions: 10" x 6" x 4" 254mm x 153mm x 102mm	€28.00	1 lb 0.5 kg
900-5000	 AC Power Supply for Micro and MicroPro (includes International Plug Set) Dimensions: 6" x 6" x 2" 153mm x 153mm x 51mm	€33.00	1 lb 0.5 kg
900-5200	 3 Piece Gel Set for MicroPro (1/4 Correction, Full Correction & Diffusion) Dimensions: 6" x 6" x 2" 153mm x 153mm x 51mm	€23.00	1 lb 0.5 kg
900-5201	 Back Door Replacement for MicroPro Dimensions: 6" x 6" x 2" 153mm x 153mm x 51mm	€23.00	1 lb 0.5 kg
900-5202	 Dimmer Knob Replacement for MicroPro Dimensions: 6" x 6" x 2" 153mm x 153mm x 51mm	€4.00	1 lb 0.5 kg
900-5203	 MicroPro DV Battery Adapter Plate for Sony <i>Accepts: "L" and "M" series batteries as well as Panasonic VW-VBD1 and Hitachi VMBP13A</i> Dimensions: 6" x 6" x 2" 153mm x 153mm x 51mm <i>Note: Not compatible with the MicroPro Hybrid when utilizing the Strobe Sync Cable</i>	€44.00	1 lb 0.5 kg
900-5204	 MicroPro DV Battery Adapter Plate for Panasonic <i>Accepts: CGR-D120, CGR-D220, CGR-D08A, CGR-D16A</i> Dimensions: 6" x 6" x 2" 153mm x 153mm x 51mm <i>Note: Not compatible with the MicroPro Hybrid when utilizing the Strobe Sync Cable</i>	€44.00	1 lb 0.5 kg
900-5205	 MicroPro DV Battery Adapter Plate for Canon <i>Accepts: BP-911/914/924 as well as Samsung SB-L110, SB-L220, SB-L160, SB-L320 and SB-L480</i> Dimensions: 6" x 6" x 2" 153mm x 153mm x 51mm <i>Note: Not compatible with the MicroPro Hybrid when utilizing the Strobe Sync Cable</i>	€44.00	1 lb 0.5 kg

Prices and specifications are subject to change without notice.
Litespanels does not offer Trade-In or Upgrade Programs
No Drop Shipments - Minimum Order: \$100.00

Croma Series Accessories






















Product Number	Description	EURO	WEIGHT
900-0007 	Deluxe Ball Head Shoe Mount for Micro, MicroPro, Croma, MiniPlus and SolaENG Dimensions: 6" x 6" x 2" 153mm x 153mm x 51mm	€58.00	1 lb 0.5 kg
900-0008 	Deluxe Ball Head Shoe Mount Conversion Kit for MiniPlus, Micro, MicroPro, Croma and SolaENG Dimensions: 6" x 6" x 2" 153mm x 153mm x 51mm	€14.00	1 lb 0.5 kg
900-0004 	Base Plate with Deluxe Ball Head Shoe Mount for Off Camera Use Use with: MiniPlus, Micro, MicroPro, Croma and Sola ENG Dimensions: 10" x 6" x 4" 254mm x 153mm x 102mm	€110.00	1 lb 0.5 kg
900-6104 	Sola ENG and Croma 2-Pin D-Tap Power Cable (coiled) Dimensions: 6" x 6" x 2" 153mm x 153mm x 51mm	€45.00	1 lb 0.5 kg
900-0015 	Carrying Case for MicroPro and Croma Dimensions: 10" x 6" x 4" 254mm x 153mm x 102mm	€28.00	1 lb 0.5 kg
900-5001 	AC Power Supply for Croma (includes International Plug Set) Dimensions: 6" x 6" x 2" 153mm x 153mm x 51mm	€60.00	1 lb 0.5 kg
900-5250 	Croma Individual Gel - Half White Diffusion Dimensions: 6" x 6" x 2" 153mm x 153mm x 51mm	€10.00	1 lb 0.5 kg

Prices and specifications are subject to change without notice.
 Litepanels does not offer Trade-In or Upgrade Programs
 No Drop Shipments - Minimum Order: \$100.00

Ringlite Mini Series

Product Number	Description	EURO	WEIGHT
Ringlite Mini Kits	Ringlite Mini Kit Includes: (1) Ringlite Mini Fixture (choice of: Daylight 5600K Spot, Daylight 5600K Flood or Tungsten 3200K Flood), (1) 24V DC Power Supply with Cord, (1) Adjustable Base Plate Mounting Bracket, (1) Rail Mount Bracket, (1) 24V Extension Cable, (1) 5 Piece Gel Set with Carrying Bag, (1) 10 ft. 4-Pin XLR Power Cable and (1) Carrying Case		
904-1102	Ringlite Mini Kit (Spot Daylight 5600K) Dimensions: 20" x 17" x 6" 508mm x 432mm x 153mm	€ 2,175.00	11 lbs 5 kg
904-1101	Ringlite Mini Kit (Flood Daylight 5600K) - <i>Special Order - call for availability</i> Dimensions: 20" x 17" x 6" 508mm x 432mm x 153mm	€ 2,175.00	11 lbs 5 kg
904-1103	Ringlite Mini Kit (Flood Tungsten 3200K) - <i>Special Order - call for availability</i> Dimensions: 20" x 17" x 6" 508mm x 432mm x 153mm	€ 2,175.00	11 lbs 5 kg

Ringlite Mini Accessories

Product Number	Description	EURO	WEIGHT
900-4000	 Ringlite Mini Carrying Case Dimensions: 20" x 17" x 6" 508mm x 432mm x 153mm	€ 110.00	7 lbs 3 kg
900-4004	 Ringlite Mini 5 Piece Gel Set (CTO) - Includes Carrying Bag CTO = For Daylight fixtures (orange in color) Includes: Full CTO, 1/2 CTO, 1/4 CTO, 1/8 CTO and Half White Diffusion Dimensions: 20" x 17" x 6" 508mm x 432mm x 153mm	€ 142.00	2 lb 1 kg
900-4005	 Ringlite Mini 5 Piece Gel Set (CTB) - Includes Carrying Bag CTB = For Tungsten fixtures (blue in color) Includes: Full CTB, 1/2 CTB, 1/4 CTB, 1/8 CTB and Half White Diffusion Dimensions: 20" x 17" x 6" 508mm x 432mm x 153mm	€ 142.00	2 lb 1 kg
900-4204	 Ringlite Mini Individual Gel - FULL CTO Dimensions: 20" x 17" x 6" 508mm x 432mm x 153mm	€ 24.00	1 lb 0.5 kg
900-4205	 Ringlite Mini Individual Gel - 1/2 CTO Dimensions: 20" x 17" x 6" 508mm x 432mm x 153mm	€ 24.00	1 lb 0.5 kg
900-4206	 Ringlite Mini Individual Gel - 1/4 CTO Dimensions: 20" x 17" x 6" 508mm x 432mm x 153mm	€ 24.00	1 lb 0.5 kg
900-4223	 Ringlite Mini Individual Gel - 1/8 CTO Dimensions: 20" x 17" x 6" 508mm x 432mm x 153mm	€ 24.00	1 lb 0.5 kg
900-4201	 Ringlite Mini Individual Gel - FULL CTO Dimensions: 20" x 17" x 6" 508mm x 432mm x 153mm	€ 24.00	1 lb 0.5 kg
900-4202	 Ringlite Mini Individual Gel - 1/2 CTO Dimensions: 20" x 17" x 6" 508mm x 432mm x 153mm	€ 24.00	1 lb 0.5 kg
900-4203	 Ringlite Mini Individual Gel - 1/4 CTO Dimensions: 20" x 17" x 6" 508mm x 432mm x 153mm	€ 24.00	1 lb 0.5 kg
900-4218	 Ringlite Mini Individual Gel - 1/8 CTO Dimensions: 20" x 17" x 6" 508mm x 432mm x 153mm	€ 24.00	1 lb 0.5 kg
900-4250	 Ringlite Mini Individual Gel - Half White Diffusion Dimensions: 20" x 17" x 6" 508mm x 432mm x 153mm	€ 24.00	1 lb 0.5 kg
900-0001	 Gels Carrying Bag for 1X1 Gels and Ringlite Mini Gels Dimensions: 12" x 5.5" x 12.5" 305mm x 139mm x 318mm	€ 25.00	1 lb 0.5 kg
900-0002	 1X1 and Ringlite Mini AC Adapter Power Supply 24V (100-240V) (Cord not included, sold separately - part 900-0013) Dimensions: 10" x 6" x 4" 254mm x 153mm x 102mm	€ 69.00	2 lb 1 kg
900-0013	 6 ft. AC Euro Power Cord for 1X1, Sola ENG and Ringlite Mini Power Supplies Dimensions: 6" x 6" x 2" 153mm x 153mm x 51mm	€ 10.00	1 lb 0.5 kg
900-0005	 DMX Kit for Standard 1X1 with Metal Housings, Ringlite Mini and MiniPlus Fixtures Contains 1-DMX Module (DMX) and 1-RJ45 Ethernet Cable to RJ45 (DMXEC) Dimensions: 10" x 6" x 4" 254mm x 153mm x 102mm	€ 205.00	1 lb 0.5 kg
900-4006	 10 Ft. DC Power Extension Cable Dimensions: 6" x 6" x 2" 153mm x 153mm x 51mm	€ 29.00	1 lb 0.5 kg
900-4007	 Ringlite Mini 10 Ft. 4-Pin XLR Power Cable (compatible with 1X1's as well) Dimensions: 6" x 6" x 2" 153mm x 153mm x 51mm	€ 50.00	1 lb 0.5 kg
900-4008	 Adjustable Base Plate Mounting Bracket - Includes: (2) 1/4-20 x 1/2" Screw (2) 10-32 Socket Screw (1) Socket Screw Wrench Dimensions: 10" x 6" x 4" 254mm x 153mm x 102mm	€ 88.00	2 lb 1 kg
900-4011	 Film/Video Rod Mounting Bracket 15mm Dimensions: 10" x 6" x 4" 254mm x 153mm x 102mm	€ 317.00	3 lb 1.5 kg
900-4012	 Film/Video Rod Mounting Bracket 19mm Dimensions: 10" x 6" x 4" 254mm x 153mm x 102mm	€ 317.00	3 lb 1.5 kg

Prices and specifications are subject to change without notice.
Litepanels does not offer Trade-In or Upgrade Programs
No Drop Shipments - Minimum Order: \$100.00



Discontinued Products List:

900-3006	1X1 10 Ft. 3-Pin XLR Power Cable	
900-3011	2X2 Solid Fixture Assembly Frame for (4) 1X1 Fixtures	
900-3013	2X2 Power Supply Mounting Plate	
300-3012	2X2 Power Supply Assembly	
903-4102	Drop Ceiling Kit with a 1X1 MONO Daylight 5600K Spot Low-Profile Fixture	
903-4104	Drop Ceiling Kit with a 1X1 MONO Daylight 5600K SuperSpot Low-Profile Fixture	
903-4101	Drop Ceiling Kit with a 1X1 MONO Daylight 5600K Flood Low-Profile Fixture	
903-4103	Drop Ceiling Kit with a 1X1 MONO Tungsten 3200K Flood Low-Profile Fixture	
#	900-0010	Wired Remote Dimmer Kit
901-3002	MiniPlus Two-Lite Package (2 Daylight 5600K Spot)	
901-3001	MiniPlus Two-Lite Package (2 Daylight 5600K Flood)	
901-3021	MiniPlus Two-Lite Package (1 Daylight 5600K Spot & 1 Daylight 5600K Flood)	
900-1025	MiniPlus Hot-Shoe Adapter 1/4-20	
905-3002	MicroPro Hybrid Kit	
900-5101	Micro Ball Head Shoe Mount	
900-5300	MicroPro Hybrid Strobe Sync Cable	
900-5207	MicroPro Carrying Case	
900-4009	Ringlite Mini Petroff "L" Bracket (Set)	
900-4010	Ringlite Mini Chrosziel Adapter Plate	
902-1002	Ringlite Cinema Kit (Spot Daylight 5600K)	
902-1001	Ringlite Cinema Kit (Flood Daylight 5600K)	
902-1003	Ringlite Cinema Kit (Flood Tungsten 3200K)	
900-2000	Ringlite Cinema AC Power Supply	
900-2007	Ringlite Cinema 25 Ft. Power Supply Feed Cable	
900-2008	Ringlite Cinema 50 Ft. Power Supply Feed Cable	
900-2009	Ringlite Cinema Data Control Module	
900-2010	Ringlite Cinema 25 Ft. Data Control Cable	
900-2011	Ringlite Cinema 15mm Film/Video Bracket	
900-2012	Ringlite Cinema 19mm Film/Video Bracket	
900-2013	Ringlite Cinema Panavision Bracket	
900-2014	Ringlite Cinema Baby Pin Bracket	
900-2015	Ringlite Cinema 16 Piece Gel Set	
900-2016	Ringlite Cinema Flag Set - 1/4, 1/2, 3/4 Black-Out	
900-2018	Ringlite Cinema LED Housing - Clear Plastic Cover	
900-2019	Ringlite Cinema Carrying Case	
	All Individual Ringlite Cinema Gels: 900-2204, 900-2205, 900-2206, 900-2223, 900-2201, 900-2202, 900-2203, 900-2218, 900-2250, 900-2216, 900-2410, 900-2432, 900-2246, 900-2278, 900-2249, 900-2279	
900-6102	Sola ENG Carrying Case	

NOTES

Prices and specifications are subject to change without notice.
Litepanels does not offer Trade-In or Upgrade Programs
No Drop Shipments - Minimum Order: \$100.00

